

UIdaho Law Digital Commons @ UIdaho Law

In re Klamath River (Klamath Tribe)

Hedden-Nicely

10-30-2008

Ex. 277-US-456

Unknown

Follow this and additional works at: <https://digitalcommons.law.uidaho.edu/klamath>

Recommended Citation

Unknown, "Ex. 277-US-456" (2008). *In re Klamath River (Klamath Tribe)*. 72.
<https://digitalcommons.law.uidaho.edu/klamath/72>

This Expert Report is brought to you for free and open access by the Hedden-Nicely at Digital Commons @ UIdaho Law. It has been accepted for inclusion in In re Klamath River (Klamath Tribe) by an authorized administrator of Digital Commons @ UIdaho Law. For more information, please contact annablaine@uidaho.edu.

Stream: Williamson
(Irving Creek)

Site: 638

Date: 5/10/1993
Habitat: Run

Flow: High

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	4.37	104.37		
HP1			7.99	96.38
HP2			5.76	98.61
HP3			6.25	98.12
TP				
HP3	5.06	103.18		
HP2			4.58	98.60
HP1			6.80	96.38
BM			3.18	100.00

Comment:

Date: 6/23/1993
Habitat: Run

Flow: Low

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	4.64	104.64		
HP1			8.25	96.39
HP2			6.04	98.60
HP3			6.52	98.12
TP				
HP3	6.36	104.48		
HP2			5.89	98.59
HP1			8.10	96.38
BM			4.48	100.00

Comment:

Date: 9/19/1993
Habitat: Run

Flow: Mid

(1) Level Loop Survey (BM & HP)

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	4.51	104.51		
HP1			8.13	96.38
HP2			5.91	98.60
HP3			6.39	98.12
TP				
HP3	6.17	104.29		
HP2			5.69	98.60
HP1			7.92	96.37
BM			4.30	99.99

Comment:

(2) Water Surface Elevation (WSE) Survey

	L/R WSE	Sta (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
TR1	LWSE	0	103.18	8.57	0.00	94.61	94.60	1.5
	RWSE			8.59	0.00	94.59		
TR2	LWSE	25.8	103.18	7.05	0.00	96.13	96.12	
	RWSE			7.07	0.00	96.11		
TR3	LWSE	30.7	103.18	7.03	0.00	96.15	96.13	
	RWSE			7.07	0.00	96.11		

Note:

WSE slope = 4.984%

Ave Q= 1.5

(2) Water Surface Elevation (WSE) Survey

	L/R WSE	Sta (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
TR1	LWSE	0	104.48	9.85	0.00	94.63	94.67	1.3
	RWSE			9.78	0.00	94.70		
TR2	LWSE	25.8	104.48	8.31	0.00	96.17	96.17	1.1
	RWSE			8.32	0.00	96.16		
TR3	LWSE	30.7	104.48	8.49	0.00	95.99	96.00	1.3
	RWSE			8.47	0.00	96.01		

Note:

WSE slope = 4.349%

Ave Q= 1.2

(2) Water Surface Elevation (WSE) Survey

	L/R WSE	Sta (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
TR1	LWSE	0	104.29	9.67	0.00	94.62	94.63	1.3
	RWSE			9.65	0.00	94.64		
TR2	LWSE	25.8	104.29	8.02	0.00	96.27	96.24	1.2
	RWSE			8.08	0.00	96.21		
TR3	LWSE	30.7	104.29	7.90	0.00	96.39	96.27	1.5
	RWSE			8.15	0.00	96.14		

Note:

WSE slope = 5.326%

Ave Q= 1.3

Figure 1 is a line graph titled "TR2 - Bed profile comparison". The y-axis is labeled "bed elevation (ft)" and ranges from 94 to 99. The x-axis is labeled "Station (ft)" and ranges from 0 to 25. Two data series are plotted: "23-Jun-93" (blue line) and "0-Jan-00" (magenta line). The profiles are nearly identical, showing a slight dip around station 15 and a sharp rise around station 10.

RUN	MID										TRANSECT 1
IOC	1101100100001000101000										
QARD	0.5										
QARD	0.6										
QARD	0.7										
QARD	0.8										
QARD	0.9										
QARD	1.0										
QARD	1.1										
QARD	1.2										
QARD	1.3										
QARD	1.4										
QARD	1.5										
QARD	1.6										
QARD	1.7										
QARD	1.8										
QARD	2.0										
QARD	2.1										
QARD	2.2										
QARD	2.3										
QARD	2.4										
QARD	2.5										
QARD	2.6										
QARD	2.7										
QARD	2.8										
QARD	2.9										
QARD	3.0										
QARD	3.1										
QARD	3.2										
QARD	3.3										
QARD	3.4										
QARD	3.5										
XSEC1000.0	0.00	1.0	94.07	0.053260							
1000.0	0.097.02	1.596.61	3.096.16	4.595.78	6.095.40	7.595.13					
1000.0	9.094.98	9.294.62	9.694.48	9.994.43	10.294.43	10.594.33					
1000.0	10.894.13	11.194.03	11.493.98	11.793.98	12.094.03	12.394.03					
1000.0	12.694.03	12.994.08	13.294.18	13.594.33	13.894.43	14.094.63					
1000.0	14.594.68	15.094.69	15.594.70	16.094.70	16.594.74	17.095.74					
1000.0	17.595.75	18.095.78	18.595.81	19.095.83	19.595.83	20.496.07					
NS 1000.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1				
NS 1000.0	1.1 1.	1.1 1.	1.1 1.	1.1 1.	1.1 1.	1.1	1.1	1.1			
NS 1000.0	1.1	3.4	3.4	3.4	3.4	3.4	3.4				
NS 1000.0	3.4	3.4	3.4 0.5	1.1 0.55	1.1	1.1	1.1				
NS 1000.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1				
NS 1000.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1				
WSL 1000.0	94.44	94.48	94.50	94.53	94.55	94.57					
WSL 1000.0	94.59	94.61	94.63	94.66	94.68	94.71					
WSL 1000.0	94.76	94.77	94.79	94.79	94.81	94.81					
WSL 1000.0	94.82	94.83	94.84	94.85	94.86	94.87					
WSL 1000.0	94.88	94.89	94.89	94.90	94.91	94.93					
CAL11000.0	94.63	1.300									
VEL11000.0					0.05	0.04	0.05	-0.23			
VEL11000.0	0.59	0.97	0.88	0.92	0.88	0.91	0.85	0.71	0.43	0.22	0.14
VEL11000.0											
CAL21000.0	94.63	1.301									
VEL21000.0											
VEL21000.0											
CAL31000.0	94.63	1.302									
VEL31000.0											
VEL31000.0											
VEL31000.0											
ENDJ											

RUN	MID										TRANSECT 2
IOC	1101100100001000101000										
QARD	0.5										
QARD	0.6										
QARD	0.7										
QARD	0.8										
QARD	0.9										
QARD	1.0										
QARD	1.1										
QARD	1.2										
QARD	1.3										
QARD	1.4										
QARD	1.5										
QARD	1.6										
QARD	1.7										
QARD	1.8										
QARD	2.0										
QARD	2.1										
QARD	2.2										
QARD	2.3										
QARD	2.4										
QARD	2.5										
QARD	2.6										
QARD	2.7										
QARD	2.8										
QARD	2.9										
QARD	3.0										
QARD	3.1										
QARD	3.2										
QARD	3.3										
QARD	3.4										
QARD	3.5										
XSEC1000.0	0.00	1.0	95.27	0.053260							
1000.0	0.097.88	1.597.64	3.097.39	4.597.13	6.096.89	7.596.39					
1000.0	8.296.24	9.096.24	10.596.19	11.796.19	12.296.04	12.695.84					
1000.0	13.095.74	13.595.69	13.995.49	14.395.44	14.795.29	15.195.14					
1000.0	15.495.14	15.596.21	16.096.55	17.097.04	18.097.40	19.097.60					
1000.0	20.097.88	20.998.05									
NS 1000.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1				
NS 1000.0	1.1	1.1	1.5	1.1	1.5	1.1	.32	1.1	3.2		
NS 1000.0	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3			
NS 1000.0	.5	3.3	.5	1.1	1.1	1.1	1.1	1.1	1.1		
NS 1000.0	1.1	1.1									
WSL 1000.0	95.84	95.89	95.93	95.97	96.01	96.05					
WSL 1000.0	96.09	96.12	96.24	96.27	96.29	96.31					
WSL 1000.0	96.32	96.34	96.35	96.37	96.38	96.39					
WSL 1000.0	96.41	96.42	96.43	96.44	96.46	96.47					
WSL 1000.0	96.48	96.49	96.50	96.51	96.53	96.55					
CAL11000.0	96.24	1.300									
VEL11000.0					0.00	0.01	0.01	0.01	0.41	0.15	
VEL11000.0	0.35	0.34	0.49	0.51	0.50	0.72	0.85				
VEL11000.0											
CAL21000.0	96.24	1.301									
VEL21000.0											
VEL21000.0											
VEL21000.0											
CAL31000.0	96.24	1.209									
VEL31000.0											
VEL31000.0											
VEL31000.0											
ENDJ											

RUN	MID										TRANSECT 3
IOC	1101100100001000101000										
QARD	0.5										
QARD	0.6										
QARD	0.7										
QARD	0.8										
QARD	0.9										
QARD	1.0										
QARD	1.1										
QARD	1.2										
QARD	1.3										
QARD	1.4										
QARD	1.5										
QARD	1.6										
QARD	1.7										
QARD	1.8										
QARD	2.0										
QARD	2.1										
QARD	2.2										
QARD	2.3										
QARD	2.4										
QARD	2.5										
QARD	2.6										
QARD	2.7										
QARD	2.8										
QARD	2.9										
QARD	3.0										
QARD	3.1										
QARD	3.2										
QARD	3.3										
QARD	3.4										
QARD	3.5										
XSEC1000.0	0.00	1.0	95.42	0.053260							
1000.0	0.097.50	1.597.20	3.096.87	4.596.48	6.096.17	7.596.17					
1000.0	9.096.07	10.596.12	11.496.27	11.996.27	12.096.27	12.595.67					
1000.0	13.095.52	13.595.42	14.095.47	14.595.47	14.895.47	15.095.47					
1000.0	15.295.47	15.395.52	15.496.27	16.797.17	17.997.43						
NS 1000.0	1.1	1.1	1.1	1.1	0.60	1.1	.5	1.1			
NS 1000.0	.50	1.1	1.1	1.1	1.1	1.1	3.3				
NS 1000.0	3.3	3.3	3.3	1.2	3.3	3.3	3.3				
NS 1000.0	3.3	3.3	.35	1.1	1.1	1.1					
WSL 1000.0	95.88	95.93	95.98	96.02	96.08	96.21					
WSL 1000.0	96.23	96.25	96.27	96.29	96.31	96.32					
WSL 1000.0	96.34	96.35	96.38	96.39	96.41	96.42					
WSL 1000.0	96.43	96.44	96.45	96.47	96.48	96.49					
WSL 1000.0	96.50	96.51	96.52	96.53	96.54	96.55					
CAL11000.0	96.27	1.300									
VEL11000.0	0.00	1.09	0.09	0.14	0.22	0.01	0.01	0.01	0.37		
VEL11000.0	0.53	0.26	0.57	0.08	0.73	1.01	1.32	1.35	0.00		
CAL21000.0	96.27	1.301									
VEL21000.0											
VEL21000.0											
CAL31000.0	96.27	1.209									
VEL31000.0											
VEL31000.0											
ENDJ											